

NRNT.E231578 Switches, Industrial Control

Page Bottom

Switches, Industrial Control

See General Information for Switches, Industrial Control

CD AUTOMATION SRL E231578

VIA P PICASSO 34/36 20025 LEGNANO, MI ITALY

Trademark and/or Tradename: , "E231578"

Open type, solid-state switch devices for AC resistive and AC general use loads, Power Switch Modules "CD3000 Series (Family 1)", Model CD3000 followed by S, may be followed by -600, followed by -15A, -25A, -35A, -45A, -60A, -90A, -110A; Model CD3000 followed by S, may be followed by -600, followed by -2ph, followed by -10A, -15A, -25A, -35A, -45A, -75A, -100A; Model CD3000 followed by S, may be followed by -3ph, followed by -15A, -30A, -45A, -60A, -75A, -90A. Control Module "CD3x00y Series", Model CD3 followed by 0, 2, followed by 0, may be followed by A, M.

Power SCR\'s Switching Equipment "CD3000 Series (Family 2)" (Size 9), Model CD3000 followed by S, A, M, may be followed by -600, followed by -125A, -150A, -200A; Model CD3200 may be followed by -600, followed by -125A, -150A, -200A; Model CD3000 followed by E, may be followed by -600, followed by -2ph, followed by -25A, -35A, -45A; Model CD3000 followed by S, A, M, E, may be followed by -600, followed by -2ph, followed by -75A, -100A, -125A, -150A; Model CD3000 followed by E, may be followed by -600, followed by -3ph, followed by -25A, -35A, -45A; Model CD3000 followed by S, A, M, E, may be followed by -75A; Power SCR\'s Switching Equipment "CD3000 Series (Family 2)" (Size 10), Model CD3000 followed by S, A, M, E, may be followed by -600, followed by -2ph, followed by -200A.

Power SCR\'s Switching Equipment "CD3000 Series (Family 3)" (Size 11), Model CD3000 followed by S, A, M, E, may be followed by -600, followed by -3ph, followed by -100A, -125A, -150A; Power SCR\'s Switching Equipment "CD3000 Series (Family 3)" (Size 12), Model CD3000 followed by S, A, M, may be followed by -600, followed by -300A, -400A, -500A, -600A, -700A; Model CD3200 may be followed by -600, followed by -300A, -400A, -500A, -600A, -700A; Power SCR\'s Switching Equipment "CD3000 Series (Family 3)" (Size 13), Model MULTIDRIVE may be followed by -600, followed by -2ph, followed by -25A, -35A, -45A, -75A, -100A, -125A, -150A, -225A; Model CD3000 followed by S, A, M, E, may be followed by -600, followed by -2ph, followed by -225A; Model MULTIDRIVE, may be followed by -600, followed by -3ph, followed by -25A, -35A, -45A, -75A, -100A, -125A, -150A, -225A; Model CD3000 followed by S, A, M, E, may be followed by -600, followed by -3ph, followed by -225A; Power SCR\'s Switching Equipment "CD3000 Series (Family 3)" (Size 14), Model MULTIDRIVE may be followed by -600, followed by -2ph, followed by -275A, -400A, -450A, -500A, -600A, -700A; Model CD3000 followed by S, A, M, E, may be followed by -600, followed by -3ph, followed by -300A, -350A, -400A, -450A, -500A; Model CD3000 followed by S, A, M, E, may be followed by -3ph, followed by -300A, -350A, -400A, -450A, -500A; Model CD3000 followed by S, A, M, E, may be followed by -3ph, followed by -300A, -350A, -400A, -450A, -500A; Model CD3000 followed by S, A, M, E, may be followed by -3ph, followed by -300A, -350A, -400A, -450A, -500A; Model CD3000 followed by S, A, M, E, may be followed by -3ph, followed by -300A, -350A, -400A, -450A, -500A; Model CD3000 followed by S, A, M, E, may be followed by -3ph, followed by -300A, -350A, -400A, -450A, -500A; Model CD3000 followed by S, A, M, E, may be followed by -3ph, followed by -300A, -350A, -400A, -450A, -500A.

Last Updated on 2005-04-12

Questions? Print this page Terms of Use Page Top

© 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".

1 di 1 03/11/2015 08:51